


24A6462-	REQD	ITEM	PART NUMBER	DESCRIPTION
				SEE NOTES



NOTES:

1. DIMENSIONS ARE mm/inch.
2. THIS DRAWING SHOWS THE OUTLINE DIMENSIONS ONLY. FOR MATERIAL AND OPTICAL PERFORMANCE SEE SPECIFICATION ELSEWHERE.
3. CLEAN LENSE PER SPECIFICATIONS AND WRAP IN APPROVED MATERIAL.

UNLESS OTHERWISE SPECIFIED		SHOP ORDERS		LAWRENCE BERKELEY LABORATORY					
TOLERANCE .X ± .1 .XX ± .02 .XXX ± .005		ACCT NO		UNIVERSITY OF CALIFORNIA-BERKELEY					
SURFACE FINISH 125 ✓		DATE ISSD	DATE REQD	NO REQD		RHIC-STAR-TPC			
1. SAWED, FLAMECUT, SHEARED OR CUT STOCK FINISH. 2. THREADS CLASS 2. 3. CHAMFER ENDS OF ALL SCREW THRDS 30°. 4. 1 1/2 PITCH RELIEF WITH ROUND NOSE TOOL ON ALL MACHINE CUT THRDS. 5. BREAK EDGES 1/64 MAX. ON MACHINE WORK. 6. REMOVE BURRS, LOOSE SCALE AND WELD SPLATTER. 7. REF.-USASI OR ASA STDS SECT Y-14 & B46-1.		DELIVER TO		LASER ASSEMBLY					
		SURFACE TREATMENT		SPLITTER DIMENSIONAL PARAMETER					
		IDENTIFIC METHOD		BAG & TAG		PAT CLEAR	DWG TYPE	SHOWN ON	SCALE: FULL
		DWG BY J. BOEHM		DATE 94-12-20		MICROFILMED	DETAIL	00X0000	DO NOT SCALE PRINTS
		CHK BY A. LEBEDEV		DATE 94-12-20		DESIGN ACCT NO	CATEGORY CODE	DWG NO	REV
REV	DWN	CHK	DATE	DESCRIPTION	8052-26	SR0204	24A6462-		