

REV.	CHANGES	DRAWN	DATE	CHKD.	DATE
------	---------	-------	------	-------	------

INNER RADIUS

LAYER 1 VIEW
NO SCALE

OUTER RADIUS



NOTES:

1. INSTALL SOCKETS AND CONNECTORS AS SPECIFIED.
2. BOARD SIZE IS 28.100 +/- .005 X 18.300 +/- .010.
SINGLE BOARD SIZE IS 28.100 X 2.781 +/- .005.
DIMENSIONS ARE IN INCHES.
3. REFERENCE DRAWINGS:

24A3651 C-1	a000892c1	PARTS LIST - PANEL OF 6
24A3654 M-1	a000892m1	BOARD OUTLINE - CUTOUTS - PANEL OF 6
24A3654 M-2	a000892m2	BOARD OUTLINE (a000892u2) - PANEL OF 6
24A3654 E-1	a000892e1	HOLE SCHEDULE - BLIND VIAS - PANEL OF 6
24A3654 E-2	a000892e2	HOLE SCHEDULE - LAYERS 1 THRU 4 - PANEL OF 6

SINGLE PIN CONNECTOR, AMP #104716-1
OR SAMTEC HMTSN-1-1-08-S-S230-RR
(24 PLACES)

FEEDTHRU BOARD WILL BE
SOLDERED DIRECTLY TO BOARD.
(48 PLACES)

21 PIN SOCKET, SAMTEC
#BBL-121-G-E (96 PLACES)

SINGLE PIN SOCKET, SAMTEC
#BBL-101-G-E (6 PLACES)

11 PIN SOCKET, SAMTEC
#BBL-111-G-E (6 PLACES)

I:		TITLE STAR TPC	
II:		INNER SECTOR ELECTRONICS	
III:		ANODE WIRE MOUNT BOARD - PANEL OF 6	
SIGN ON		P.C. BOARD ASSEMBLY (24A3651 U-2)	
ACCOUNT NUMBER	8052-24	DRAWN	DATE
SERIAL NUMBER		STIRKKINEN	02/13/84
DATE ISSUED		CHECKED	DATE
DATE REV.		APPROVED	DATE
DEL. TO		ENGINEER	JIM HUNTER
		FILE NO.	a00089211
		SIZE	4
		DRAWING NO.	24A3654 L-1
		SCALE	NONE
			E2,-C2,E3,E26,R19
			SHEET 1 OF 1